

For immediate release

## Topper Station Refit

The intelligent climbing wall top anchor

**Safety, wear resistance, easy installation – these are the most important criteria when selecting products to equip a climbing gym. The new climbing wall top anchor – Topper Station Refit – from EDELRID amply meets all these requirements. It reduces the amount of wear on ropes, avoids kinking and increases safety with its gate that prevents double clipping or accidental unclipping. In addition, it can be installed from the front, without requiring modification to the wall. All parts subject to wear are replaceable.**



Abb.1



Abb.2



Abb.3

The gate mechanism opening is sized to exactly fit the rope diameter. Instead of an active clipping motion, the rope is simply laid in it. The weight of the rope is sufficient to trigger the gate mechanism and the rope drops into the recess. This makes it easier for children and beginners to use than “clipping” large, difficult and awkward carabiners. (Fig.1).

### For immediate release

As soon as the rope is placed in position, the gate closes and remains closed. It is not possible to introduce a second rope or for the rope to unclip itself (Fig. 2 and 3). For permanent top-rope stations, the gate can be fixed in the closed position with a bolt.



Abb.4



Abb.5



Abb.6

Three joints on the mounting allow the Topper to swing and rotate freely. This means that the carabiner always orientates itself in the direction of the rope, preventing incorrect clipping and twisting or kinking. The extremely large inner radius also minimizes rope wear.

Its mounting keeps the carabiner at a distance from the wall so that the Topper always hangs freely. This avoids wear on the wall or the rope. (Fig. 4)

### **For immediate release**

The line on the inner side of the anchor jaws is a wear indicator that is easy to visually inspect. If the anchor jaws show signs of wear then they are easy to replace via two bolts. There is also an opening to service or replace the gate spring. (Fig. 5)

The Topper Station Refit can be installed in existing top anchor systems. This is done from the front, without requiring modification to the wall. (Fig. 6)

### **Product details Topper Station:**

- Extremely easy to clip the rope
- Prevents double clipping or the rope unclipping itself
- Gate can be fixed closed for top-rope stations
- Moves freely in three directions to ensure optimal orientation
- Large inner radius minimizes rope wear
- Mounting prevents damage to wall
- All parts subject to wear are replaceable
- Simple to fit, from the front, can be installed without requiring modification to the wall
- Material: steel and stainless steel